



8559-75

( 3616-82)

8559—75\*

(СТ 3616—82)

Calibrated square steel. Dimensions

8559-57

11 d CQO

4 1975 . 866

01.01.76

1985 .

20.05.85 1406

01.01.96


1.

3 100 .  
3616—82.

(  
2.

, . 1).

. 1 . 1.



Черт. 1

\*

( 1993 . )  
1983 . ,

1985 . ( 1, 2,  
7—83, 8—85).

©

, 1975

©

, 1993

		1	hi 2	, 2	1
3,0	-0,010	—0,060	—0, 0	9,00	0,071
3,2				10.24	0,080
3,5				12.25	0,096
4,0	- 0,018	-0,075	—0,120	16,00	0,126
4,5				20.25	0,159
5.0				25,00	0,196
5.5				30.25	0,237
6.0				36,	0,283
6,3				39,7	0 311
7.0	- 0,058	-0,090	—0,150	49.0	3,385
8.0				64.0	0,502
9,0				81.0	0,636
10,0				100,0	0,785
11,0				121,	0,95
12,0				144,	1,13
13.0				169.0	1,33
14.0	—0,070	-0,110	-0,180	196.0	1.54
15.0				225.0	1,77
16.0				256.0	2,01
17.0				289.0	2,27
18.0				324.0	2.54
19,0				361,0	2,83
20,0				400,0	3,14
21,0				441,0	3,46
22,0				484.0	3,80
24,0	—0,084	—0,130	-0,210	576,0	4,52
25,0				625,0	4,91
26,0				676,0	5,33
27,0				729,0	5,72
28,0				784,0	6,15
30,0				900.0	7,07
32,0				1024,0	8,04
34,0				1156,0	9,07
36,0				1296,0	10,2
38,0				1444,0	11,2
40,0				1600,0	12,6
41,0	— 0,100	—0,160	—0,,250	1681,0	13,2
42,0				1764,0	13,8
45,0				2 25,0	15,9
46,0				2116,0	16,6
48,0				2304,0	18,1
50,0				2500,0	19,6

. 1

				, 2	1 ,
	hi 0	1	2		
53,0				2839,0	22,1
55,0				3025,0	23,7
56,0	-0,120	-0,190	-0,303	3136,0	24,6
60,0				3600,0	28,3
63,0				3969,0	31,2
65,0				4225,0	33,2
70,0	-	-0,130	-0,300	49 0,0	38,5
75,0				5525,0	44,2
80,0				6400,0	50,2
85,0				7225,0	56,7
90,0	-	-0,220	-0,050	8100,0	63,6
95,0				9325,0	70,8
103,0				10000,0	78,5

1. :  
 , . 1. -  
 , . -

2. 2 1 1 1986 .  
 7,86 / 3.

( , . 1).

3. .

4. :  
 ;  
 ;  
 10 % ;

5. 2 6,5 .  
 1,5 .

3— 5. ( , . 1).  
 6. 7. ( , . 1).  
 8. :  
 4- 30 — 4 ;  
 4"50 — 4 ,


9.

. 2.

2

	1		, %	
	0 hi 1	h 12	0 hi 1	h 12
	. 25 . 50	2 1 1	3 2 1	0,2 0,1 0,1

( 10. 3°. , . 1, 2).  
1 ( . 2)



2

( 11. , . 1).

0,17 — 16 ;  
3 — 16 30 ;  
5 — 30 .

( 12. , . 1).

13.

. 3.

25 . 25 50 » 50 » 60	20 25 30

( , . 1).

14.

,

. 4.

-

	1	2
25 . 25	0,5 0,5	0,5 1,0

13 14. (

, . 1).